Freeform Search

Database:

```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Term:

```
L7 and second adj (period or subframe) near2
(zero or black)
```

Display: `20` Documents in **Display Format:** `TI` **Starting with Number** `1`

Generate: ○ **Hit List** ◉ **Hit Count** ○ **Side by Side** ○ **Image**

[Search]   [Clear]   [Interrupt]

Search History

DATE: **Wednesday, January 31, 2007**   **Purge Queries**   **Printable Copy**   **Create Case**

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ

Set Name side by side	Query	Hit Count	Set Name result set
L9	L7 and second adj (period or subframe) near2 (zero or black)	6	L9
L8	L7 and second adj (period or subframe) near2 (zero or black)	6	L8
L7	L4 and py<=2002	107	L7
L6	L2 and first adj subframe same second adj subframe same (zero or black)	12	L6
L5	L2 and second adj subframe same zero	10	L5
L4	L2 and second adj (period or subframe) same zero	107	L4
L3	L2 and second adj (period or subframe) same (zero or black)	156	L3
L2	(hold adj type or hold-type or LCD or liquid adj crystal) adj display$1	368040	L2
L1	(hold adj type or hold-type or LCD or liquid adj crystal) ad display$1	1	L1

END OF SEARCH HISTORY

Freeform Search

Database:

| US Pre-Grant Publication Full-Text Database |
| US Patents Full-Text Database |
| US OCR Full-Text Database |
| EPO Abstracts Database |
| JPO Abstracts Database |
| Derwent World Patents Index |
| IBM Technical Disclosure Bulletins |

Term: second adj subframe near2 zero

Display: 20 Documents in **Display Format:** TI Starting with Number 1

Generate: ○ Hit List ◉ Hit Count ○ Side by Side ○ Image

Search   Clear   Interrupt

Search History

DATE: Wednesday, January 31, 2007   **Purge Queries**   Printable Copy   Create Case

Set Name side by side	Query	Hit Count	Set Name result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L17	second adj subframe near2 zero	2	L17
L16	second adj subframe same zero	43	L16
L15	second adj subfreme same zero	0	L15
	DB=USPT; PLUR=YES; OP=ADJ		
L14	111 and second adj subframe near4 zero	0	L14
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L13	111 and second adj subframe near4 zero	0	L13
L12	111 and second adj subframe near2 zero	0	L12
L11	L8 and @py<=2003	54	L11
L10	L8 and second adj subframe same zero	0	L10
L9	L8 and second adj subfame same zero	0	L9
L8	L2 and second adj (period or subfame) same zero	97	L8
L7	L6 and second adj period and zero	3	L7
L6	L5 and frame same first adj period same second adj period	27	L6
L5	12 and (data adj writ$6 adj circuit or data adj driver$)	4894	L5
L4	12 and (data adj writ$6 adj circuit or data adj driver$)	4894	L4

L3	L2 and pixel adj value same frame same subframe	8	L3
L2	(hold adj type or hold-type or LCD or liquid adj crystal) adj display$1	368040	L2
L1	(LCD or liquid adj crystal adj display$1) same data adj driv$6	4132	L1

END OF SEARCH HISTORY

Freeform Search

Database:
```
US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins
```

Term:
```
L2 and pixel adj value same frame same subframe
```

Display: `20` Documents in **Display Format:** `TI` **Starting with Number** `1`

Generate: ○ **Hit List** ◉ **Hit Count** ○ **Side by Side** ○ **Image**

[Search]   [Clear]   [Interrupt]

Search History

DATE: Wednesday, January 31, 2007   **Purge Queries**   Printable Copy   Create Case

Set Name	Query	Hit Count	Set Name
side by side			result set
	DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ		
L3	L2 and pixel adj value same frame same subframe	8	L3
L2	(hold adj type or hold-type or LCD or liquid adj crystal) adj display$1	368040	L2
L1	(LCD or liquid adj crystal adj display$1) same data adj driv$6	4132	L1

END OF SEARCH HISTORY